Forest Products Journal Index ... Vol. XV, 1965

Articles are indexed according to the FPRS Subject-Matter Divisions listed below and by author. To find an article on a given subject, study the areas covered under the most appropriate Division or Divisions. Because the FPRS Divisions are process-oriented, a general category — Industry-Education — had been added to cover economics, industrial trends, and other subjects difficult to pinpoint to a Division.

Reprints are available of all articles listed. The Author Index, under senior author listing, contains titles, reprint order number, and the cost per single copy. Check or money order must accompany all orders. Special bulk rates are available.

FPRS Subject-Matter Divisions

Division 1: **Anatomy and Fundamental Properties,** covers such subjects as wood structure, chemical properties, physical properties, and biological properties.

Division 2: **Timber Production,** covers forestry, harvesting, transportation, woods mechanization, and forest economics.

Division 3: **Mechanical Conversion,** covers sawing, veneer cutting, machining, sanding, and fractionization (chipping, flaking, defiberating, refining).

Division 4: **Chemical Conversion,** covers derived products, pulping, and modification.

Division 5: **Particle and Fiber Processes,** covers particleboard, flakeboard, pulp and paper board, hardboard, molded products, and plastic laminates.

Division 6: **Glues and Gluing Processes,** covers adhesives, plywood, glue lam, sandwich construction, assemblies, and end and edge gluing.

Division 7: **Treatments and Coatings,** covers preservation, fire resistance, exterior finishing, interior finishing.

Division 8: **Drying,** covers kiln drying, air seasoning, veneer drying, special products (chips, particles, fibers), and moisture-use relations.

Division 9: **Wood Engineering,** covers mechanical properties, grades and grading, structural fastenings, engineered products (timber construction, structural sandwiches, framed construction, others).

Division 10: **Production Management,** covers materials handling, plant layout, production control, work measurements, automation, and quality control.

Division 11: **Marketing,** covers codes and legislation, product standards, packaging, distribution, and promotion.

Industry-Education: economics, industry trends, international reports, research programming, subject reviews, and utilization.

FPRS Subject Review

ANATOMY AND FUNDAMENTAL PROPERTIES

Biological Properties

Decay of Nondurable Softwoods by White-Rot Fungi, W. S. Thompson, 2:64.

Fundamental Characteristics of Wood Decay Indicated by a Sequential Microscopical Analysis, W. W. Wilcox, 7:255.

Chemical Properties

Annual Review of Lignin Chemistry, I. A. Pearl, 9:379.

Discoloration of Incense Cedar Pencil Lacquer, E. Zavarin, A. B. Anderson, and C. P. Berolzheimer, 2:73.

Ether Extractives of Red Pine and Possible Means of Reducing Resin Exudation, N. Levitin, 5:215.

Influence of Fiber Chemical Constituents on Oil-Tempering of Hardboard, L. Paszner and J. W. Wilson, 5:206.

Isolation and Properties of Dispersants from Western Hemlock Bark, H. L. Hergert, L. E. Van Blaricom, J. C. Steinberg, and K. R. Gray, 11:485.

Manganese Distribution in Wood by Neutron Activation Analysis, W. L. Galligan, H. Stern, and P. Hohenschuh, 5:185.

Wood Characteristics and Kraft Paper Properties of Four Selected Loblolly Pines. Part II: Wood Chemical Constituents and Their Relationship to Fiber Morphology, V. L. Byrd, E. L. Ellwood, R. G. Hitchings, and A. C. Barefoot, Jr., 8:313.

Physical Properties

Assessment of the Incidence and Significance of Spiral Grain in Young Conifer Trees, J. D. Brazier, 8:308.

Dielectric Properties of Douglas-Fir Measured at Microwave Frequencies, W. L. James and D. W. Hamill, 2:51.

Diffusion Coefficients of Softwoods by the Steady-State and Theoretical Methods, E. T. Choong, 1:21.

Drying Diffusion Coefficients in Wood as Affected by Temperature, T. Biggerstaff, 3:127.

Effect of Anatomy on the Initial Stress-Strain Relationship in Transverse Compression, J. Bodig, 5:197.

Effect of Fire-Retardant and Other Inorganic Salts on Pyrolysis Products of Ponderosa Pine, J. J. Brenden, 2:69.

Effect of Rings Per Inch on Specific Gravity of Red Oak, J. K. Guiher, 9:409.

Study on the Electrical Conduction in Wood, R. T. Lin, 11:506.

Extent of Shake in Missouri Oaks, E. A. McGinnes, Jr., 5:190.

Influence of Cellulose, Lignin, and Density on Toughness of Yellow-Poplar, A. C. Barefoot, Jr., 1:46.

Longitudinal Permeability of Green Eastern Hemlock, G. L. Comstock, 10:441.

Neutron Activation of Engelmann Spruce, W. E. Loos, 4:178.

Review of Methods for Determining Moisture Content and Density of Wood by Nuclear Radiation Techniques, W. E. Loos, 3:102.

Shrinkage Stresses in Externally Restrained Wood, A. J. Kass, 6:225.

Structural Property Estimation from Density Samples for Western Woods, R. L. Ethington, 10:422.

Variation in Penetrability of Western Redcedar Within a Single Stem Section, P. E. Jurazs and R. W. Wellwood, 2:76.

Wettability of Wood, A. Herczeg, 11:499.

White Deposits on Incense Cedar Pencil Slats. L. V. Smith and A. B. Anderson, 4:177.

Wood Structure

Determining Pore Size Distribution in Softwoods with a Mercury Porosimeter, C. L. Stayton and C. A. Hart, 10:435.

Improved Microtechnique for Wood Tensile Strength and Related Properties, G. Ifju, R. W. Wellwood, and J. W. Wilson, 1:13.

Lignin Distribution in Wood Cell Walls, G. P. Berlyn and R. E. Mark, 3:140.

Longitudinal Cores for Studying Wood Structure, S. G. Boyce and M. Kaeiser, 7:296.

Mechanical Maceration Technique for Isolation of Individual Fibers, T. E. Wooten and A. C. Barefoot, Jr., 2:75.

Multilingual Glossary of Terms Used in Wood Anatomy, I. B. Sachs, 1:50.

Rapid Measurement of Tracheid Cross-Sectional Dimensions of Conifers: Its Application to Specific Gravity Determinations, D. M. Smith, 8:325.

Relationship of Gas Phase Permeability to Ultrastructure of White Spruce Wood, L. P. Sebastian, W. A. Cote, and C. Skaar, 9:394.

TIMBER PRODUCTION

Forestry

Identity of a Hydrocarbon Found in a Forest Soil, E. P. Swan, 7:272.

Timber Quality Research — Another Concept, E. S. Kotok, 10:459.

Harvesting

New Approach to Tree Grading for Northern Hardwoods, R. M. Marden, 5:179.

Woods Mechanization

Self-Propelled Tree Pruner, F. B. Malcolm, 2:57.

Skidding Coefficients on an Alluvial Soil, W. N. Darwin, Jr., 7:302.

MECHANICAL CONVERSION

General

Self-Propelled Tree Pruner, F. B. Malcolm, 2:57.

Temperature Rise and Moisture Movement in Wood Cutting, B. T. Hawkins and W. M. McKenzie, 3:101.

Fractionization

Automatic Knife Change for Chippers, P. A. Kirsten, 10:6-A.

Chip Markets: Potentials and Problems for Sawmills and Plywood Plants, W. E. Butler, 4:167.

Mechanical Maceration Technique for Isolation of Individual Fibers, T. E. Wooten and A. C. Barefoot, Jr., 2:75.

Machining

Trimming Plywood by Inclined Cutting Using a Disk, W. M. McKenzie and B. T. Hawkins, 9:405.

Sawing

Analysis of Yield of Dimension Stock from Standard Lumber Grades, R. J. Thomas, 7:285.

Effect of Induced Lateral Vibration of a Saw Tooth on the Cutting of Wood, A. St. Laurent, 3:113.

Some Dynamic Characteristics of Band Saws, C. D. Mote, Jr., 1:37.

Veneer Cutting

Veneer Thickness Variation: Its Measurement and Significance in Plywood Manufacture, B. S. Bryant, T. E. Peters, and G. F. Hoerber, 6:233.

CHEMICAL CONVERSION

General

Annual Review of Lignin Chemistry, I. A. Pearl, 9:379.

Derived Products

Isolation and Properties of Dispersants from Western Hemlock Bark, H. L. Hergert, L. E. Van Blaricom, J. C. Steinberg, and K. R. Gray, 11:485.

PARTICLE AND FIBER PROCESSES

General

Agricultural and Horticultural Use of Wood Residues in California, W. A. Dost, 10:450.

Forest Products Laboratory Exposure Structure, R. A. Hann and O. C. Heyer, 6:252.

Skiing on Sawdust, R. Peter, 1:30.

Technical, Economic, and Practical Aspects of Residue Utilization, W. C. Lewis, 8:303.

Hardboard

Influence of Fiber Chemical Constituents on Oil-Tempering of Hardboard, L. Paszner and J. W. Wilson, 5:206.

Modern Developments in Swedish Fiberboards, F. Alvang and S. Johanson, 8:335.

Particleboard

Improved Particleboard Through Better Resin Efficiency, W. F. Lehmann, 4:155.

Proposed Plug Tension Test for Particleboard, B. G. Heebink and C. J. Gatchell, 1:28.

Simplified Test of Internal Bond in Particleboard, W. F. Lehmann, 5:223.

Strength and Rheological Properties of Particleboard as Affected by Moisture Content and Sorption, E. L. Bryan and A. P. Schniewind, 4:143.

Plastic Laminates

Coating Problems and Flat Sheet Finishing, W. R. Jenuleson, 7:273.

Importance of Overlays to the Forest Products Industry, R. K. Stensrud and J. W. Nelson, 5:203.

Pulp and Paper Board

Separation of Heartwood from Sapwood Pulp Chips by Flotation Methods, F. M. Womeldorff, 9:407.

Wood Characteristics and Kraft Paper Properties of Four Selected Loblolly Pines. Part II: Wood Chemical Constituents and Their Relationship to Fiber Morphology, V. L. Byrd, E. L. Ellwood, R. G. Hitchings, and A. C. Barefoot, Jr., 8:313.

GLUES AND GLUING PROCESSES

General

Comparison of Block Shear, Cross-Lap Tension, and Glueline Cleavage Methods of Testing Glued Joints, A. G. Stanger and R. F. Blomquist, 12:468.

Forest Products Laboratory Exposure Structure, R. A. Hann and O. C. Heyer, 6:252.

Wettability of Wood, A. Herczeg, 11:499.

Adhesives

Effect of Curing Temperature on Rate of Cure and Quality of Casein Glued Joints, E. G. Bergin, 4:152.

Effect of Urea-Formaldehyde Resin Viscosity on Plywood Wood Bond Durability, J. T. Rice, 3:107.

Improved Particleboard Through Better Resin Efficiency, W. F. Lehmann, 4:155.

Low Cost Protein Glue for Southern Pine Plywood, F. B. Weakley and C. L. Mehltretter, 1.8.

Practical Guide to Wood Adhesives, L. E. Clark, Jr., 4:176.

Rate of Viscosity Change for a Urea-Formaldehyde Resin, J. D. Sullivan and W. L. Harrison, 11:480.

Assemblies

Coating Problems and Flat Sheet Finishing, W. R. Jenuleson, 7:273.

Effect of Moisture on Lumber-Core Panels, J. K. Guiher, 3:117.

Importance of Overlays to the Forest Products Industry, R. K. Stensrud and J. W. Nelson, 5:203.

Wooden Hulls for Underwater Oceanographic Vehicles, J. D. Stachiw, 2:58.

End and Edge Gluing

Causes of Radio Frequency Burns in Edge-Glued Joints, D. G. Miller and P. George, 1:33.

Glulam

After Two Decades of Service, Glulam Timbers Show Good Performance, M. L. Selbo, A. C. Knauss, and H. E. Worth, 11:466.

Beam Strength as Affected by Placement of Laminae, P. Koch and B. Bohannan, 7:289.

Performance of Melamine Resin Adhesives in Various Exposures, M. L. Selbo, 12:475.

Plywood

Accelerated Aging of Adhesives in Plywood-Type Joints, R. H. Gillespie, 9:369.

Effect of Urea-Formaldehyde Resin Viscosity on Plywood Wood Bond Durability, J. T. Rice, 3:107.

Effects of Seven Variables on Properties of Southern Pine Plywood: Part I. Maximizing Wood Failure, P. Koch, 9:355.

Effects of Seven Variables on Properties of Southern Pine Plywood: Part II. Maximizing Wet Shear Strength, P. Koch, 11:463.

Effects of Seven Variables on Properties of Southern Pine Plywood: Part III. Maximizing Dry Strength, P. Koch and P. Jenkinson, 12:488.

Effects of Seven Variables on Properties of Southern Pine Plywood: Part IV. Minimizing Face Checking, P. Koch, 12:495.

Low Cost Protein Glue for Southern Pine Plywood, F. B. Weakley and C. L. Mehltretter, 1:8.

Veneer Thickness Variation: Its Measurement and Significance in Plywood Manufacture, B. S. Bryant, T. E. Peters, and G. F. Hoerber, 6:233.

TREATMENTS AND COATINGS

General

Determining Pore Size Distribution in Softwoods with a Mercury Porosimeter, C. L. Stayton and C. A. Hart, 10:435.

Diffusion of Ethylene Into and Through Wood, T. L. Elers, 3:134.

Ether Extractives of Red Pine and Possible Means of Reducing Resin Exudation, N. Levitin, 5:215.

Forest Products Laboratory Exposure Structure, R. A. Hann and O. C. Heyer, 6:252.

Importance of Overlays to the Forest Products Industry, R. K. Strensrud and J. W. Nelson, 5:203.

Longitudinal Permeability of Green Eastern Hemlock, G. L. Comstock, 10:441.

Manganese Distribution in Wood by Neutron Activation Analysis, W. L. Galligan, H. Stern, and P. Hohenschuh, 5:185.

Neutron Activation of Engelmann Spruce, W. E. Loos, 4:178.

Polymerization of Styrene and Styrene-Divinylbenzene in Wood, R. A. V. Raff, I. W. Herrick, and M. F. Adams, 7:260.

Possible Applications of Radiation Pyrometry in Wood Processing, T. P. Laughren and R. A. Hann, 1:31.

Predicting Maximum Surface Temperatures of Wood in Exterior Exposures, E. M. Wengert, 7:263.

Relationship of Gas Phase Permeability to Ultrastructure of White Spruce Wood, L. P. Sebastian, W. A. Cote, and C. Skaar, 9:394.

Review of Developments in Dimensional Stabilization of Wood Using Radiation Techniques, J. F. Siau, J. A. Meyer, and C. Skaar, 4:162.

Solvent Drying of California Redwood with Methanol, K. K. Seth, A. B. Anderson, and C. R. Wilke, 7:297.

Treatment of Wood-Polymer Systems Using Catalyst-Heat Techniques, J. A. Meyer, 9:362.

White Deposits on Incense Cedar Pencil Slats, L. V. Smith and A. B. Anderson, 4:177.

Wood-Polymer Combinations Using Radiation Techniques, J. F. Siau, J. A. Meyer, and C. Skaar, 10:426.

Exterior Finishing

Coating Problems and Flat Sheet Finishing, W. R. Jenuleson, 7:273.

Thermal and Moisture Gradient Exposure Unit, H. J. Kiefer, R. W. Green, and E. E. Saville, 4:170.

Fire Resistance

Auxiliary Properties of Fire-Retardant Treated Wood, R. E. Gardner, 9:365.

Effect of Fire-Retardant and Other Inorganic Salts on Pyrolysis Products of Ponderosa Pine, J. J. Brenden, 2:69.

Evaluation of Borates and Other Inorganic Salts as Fire Retardants for Wood Products, J. C. Middleton, S. M. Draganov, and F. T. Winters, Jr., 12:463.

Interior Finishing

Coating Problems and Flat Sheet Finishing, W. R. Jenuleson, 7:273.

Discoloration of Incense Cedar Pencil Lacquer, E. Zavarin, A. B. Anderson, C. P. Berolzheimer, 2:73.

Preservation

After Two Decades of Service, Glulam Timbers Show Good Performance, M. L. Selbo, A. C. Knauss, and H. E. Worth, 11:466.

Biodegradability of Pentachlorophenol as a Possible Source of Depletion from Treated Wood, J. Leutritz, Jr., 7:269.

Decay of Nondurable Softwoods by White-Rot Fungi, W. S. Thompson, 2:64.

Distribution of Moisture in Treated and Untreated Poles, W. G. Keating and J. J. Gilfedder, 6:251.

Fundamental Characteristics of Wood Decay Indicated by a Sequential Microscopical Analysis, W. W. Wilcox, 7:255.

Permeability of Unseasoned Xylem of Northern White Cedar, E. I. Sucoff, P. Y. S. Chen, and R. L. Hossfeld, 8:321.

Response of *Poria Monticola* and *Polyporus Versicolor* to Aliphatic Amines, W. S. Thompson, 7:282.

DRYING

General

Practical Method of In-Plant Evaluation of Seasoning Degrade, D. G. Cuppett, 8:341.

Assessment of the Incidence and Significance of Spiral Grain in Young Conifer Trees, J. D. Brazier, 8:308.

Solvent Drying of California Redwood with Methanol, K. K. Seth, A. B. Anderson, and C. R. Wilke, 7:297.

Status of Drying Research and Practice, J. G. Haygreen, 1:1.

Kiln Drying

Drying Diffusion Coefficients in Wood as Affected by Temperature, T. Biggerstaff, 3:127.

Drying-Rate Curves for One-Inch Yello-Poplar Lumber in Low-Temperature Forced-Air Dryers, C. B Vick, 12:500.

Effect of Air Flow on Heat Transfer and Water Evaporation in Jet-Drying Systems, L. C. Lyman, 10:453.

Effect of High-Temperature Drying on Quality and Strength of Western Hemlock, M. Salamon, 3:122.

Extent of Shake in Missouri Oaks, E. A. McGinnes, Jr., 5:190.

Shrinkage Stresses in Externally Restrained Wood, A. J. Kass, 6:225.

Moisture-Use Relationship

Determining Pore Size Distribution in Softwoods with a Mercury Porosimeter, C. L. Stayton and C. A. Hart, 10:435.

Diffusion Coefficients of Softwoods by the Steady-State and Theoretical Methods, E. T. Choong, 1:21.

Diffusion of Ethylene Into and Through Wood, T. L. Elers, 3:134.

Distribution of Moisture in Treated and Untreated Poles, W. G. Keating and J. J. Gilfedder, 6:251.

Effect of Moisture on Lumber-Core Panels, J. K. Guiher, 3:117.

Effect of Salt and Fresh Water Soaking on Electrical Resistance of Powerline Poles, J. E. Breeze and J. Vitins, 12:484.

Study on the Electrical Conduction in Wood, R. T. Lin, 11:506.

Ether Extractives of Red Pine and Possible Means of Reducing Resin Exudation, N. Levitin, 5:215.

Forced Air Drying Sap Tupelo Furniture Billets in Solid Stacks (erroneously titled "Sweet Gum" in publication), C. B. Vick, 3:121.

Longitudinal Permeability of Green Eastern Hemlock, G. L. Comstock, 10:441.

Permeability of Unseasoned Xylem of Northern White Cedar, E. I. Sucoff, P. Y. S. Chen, and R. L. Hossfeld, 8:321.

Possible Applications of Radiation Pyrometry in Wood Processing, T. P. Laughren and R. A. Hann, 1:31.

Predicting Maximum Surface Temperatures of Wood in Exterior Exposures, E. M. Wengert, 7:263.

Relationship of Gas Phase Permeability to Ultrastructure of White Spruce Wood, L. P. Sebastian, W. A. Cote, and C. Skaar, 9:394.

Review of Developments in Dimensional Stabilization of Wood Using Radiation Techniques, J. F. Siau, J. A. Meyer, and C. Skaar, 4:162.

Review of Methods for Determining Moisture Content and Density of Wood by Nuclear Radiation Techniques, W. E. Loos, 3:102.

Variation in Penetrability of Western Redcedar Within a Single Stem Section, P. E. Jurazs and R. W. Wellwood, 2:76.

Special Products

Inflence of Fiber Chemical Constituents on Oil-Tempering of Hardboard, L. Paszner and J. W. Wilson, 5:206.

Veneer Drying

Coating Problems and Flat Sheet Finishing, W. R. Jenuleson, 7:273.

WOOD ENGINEERING

General

Annual Review of Wood Engineering, R. J. Hoyle, Jr., 10:413.

Engineered Products

After Two Decades of Service, Glulam Timbers Show Good Performance, M. L. Selbo, A. C. Knauss, and H. E. Worth, 11:466.

Analysis of Wood-Fiberglass Composite Beams Within and Beyond the Elastic Region, E. J. Biblis, 2:81.

Deflection and Creep Characteristics of Trussed Rafters with Metal Plate Fasteners, A. Sliker and B. M. Radcliffe, 11:473.

Effect of Salt and Fresh Water Soaking on Electrical Resistance of Powerline Poles, J. E. Breeze and J. Vitins, 12:484.

Methods Analysis in Residential Construction, B. M. Radcliffe, A. E. Wylie, and T. H. Halberg, 3:142.

Performance of Melamine Resin Adhesives in Various Exposures, M. L. Selbo, 12:475.

Predicting Maximum Surface Temperatures of Wood in Exterior Exposures, E. M. Wengert, 7:263.

Wooden Hulls for Underwater Oceanographic Vehicles, J. D. Stachiw, 2:58.

Grades and Grading

EMSR Lumber: Will It Make Good Roof Trusses?, R. J. Hoyle, Jr., 9:410.

New Approach to Tree Grading for Northern Hardwoods, R. M. Marden, 5:179.

Vibrational Approach to Nondestructive Testing of Structural Lumber, R. F. Pellerin, 3:93.

Mechanical Properties

Beam Strength as Affected by Placement of Laminae, P. Koch and B. Bohannan, 7:289.

Dielectric Properties of Douglas-Fir Measured at Microwave Frequencies, W. L. James and D. W. Hamill, 2:51.

Shear Deflection of Wood Beams, E. J. Biblis, 11:492.

Structural Property Estimation from Density Samples for Western Woods, R. L. Ethington, 10:422.

Vibrational Approach to Nondestructive Testing of Structural Lumber, R. F. Pellerin, 3:93.

Structural Fastenings

Distribution of Moisture in Treated and Untreated Poles, W. G. Keating and J. J. Gilfedder, 6:251.

Pallets Assembled with 10-Gauge Automatic Nails, E. G. Stern, 6:242.

Present Status of Mechanical Fasteners, D. H. Percival, 1:42.

PRODUCTION MANAGEMENT

General

Indicator Ratios: Forest Products Industries, R. C. Fitzgerald, 5:191.

Methods Analysis in Residential Construction, B. M. Radcliffe, A. E. Wylie, and T. H. Halberg, 3:142.

Plant Layout

Modern Developments in Swedish Fiberboards, F. Alvang and S. Johanson, 8:335.

Production Control

Analysis of Yield of Dimension Stock from Standard Lumber Grades, R. J. Thomas, 7:285.

Effect of Curing Temperature on Rate of Cure and Quality of Casein Glued Joints, E. G. Bergin, 4:152.

Importance of Overlays to the Forest Products Industry, R. K. Strensrud and J. W. Nelson, 5:203.

Improved Particleboard Through Better Resin Efficiency, W. F. Lehmann, 4:155.

Pallets Assembled with 10-Gauge Automatic Nails, E. G. Stern, 6:242.

Practical Method of In-Plant Evaluation of Seasoning Degrade, D. G. Cuppett, 8:341.

Veneer Thickness Variation: Its Measurement and Significance in Plywood Manufacture, B. S. Bryant, T. E. Peters, and G. F. Hoerber, 6:233.

Quality Control

Accelerated Aging of Adhesives in Plywood-Type Joints, R. H. Gillespie, 9:369.

Comparison of Block Shear, Cross-Lap Tension, and Glueline Cleavage Methods of Testing Glued Joints, A. G. Stanger and R. F. Blomquist, 12:468.

Causes of Radio Frequency Burns in Edge-Glued Joints, D. G. Miller and P. George, 1:33.

Forest Products Laboratury Exposure Structure, R. A. Hann and O.C. Heyer, 6:252.

Proposed Plug Tension Test for Particleboard, B. G. Heebink and C. J. Gatchell, 1:28.

Simplified Test of Internal Bond in Particleboard, W. F. Lehmann, 5:223.

Thermal and Moisture Gradient Exposure Unit, H. J. Kiefer, R. W. Green, and E. E. Saville, 4:170.

MARKETING

General

Changing Hardwood Market: Furniture Industry, V. L. Robinson, 7:277.

Chip Markets: Potentials and Problems for Sawmills and Plywood Plants, W. E. Butler, 4:167.

Indicator Ratios: Forest Products Industries, R. C. Fitzgerald, 5:191.

Technical, Economic, and Practical Aspects of Residue Utilization, W. C. Lewis, 8:303.

Codes and Legislation

Agricultural and Horticultural Use of Wood Residues in California, W. A. Dost, 10:450.

Distribution

Truck, Rail, and Water Movement of Western Softwood Plywood and Lumber, C. W. Dane, 2:91.

Product Standards

Isolation and Properties of Dispersants from Western Hemlock Bark, H. L. Hergert, L. E. Van Blaricom, J. C. Steinberg, and K. R. Gray, 11:485.

New Approach to Tree Grading for Northern Hardwoods, R. M. Marden, 5:179.

Promotion

EMSR Lumber: Will It Make Good Roof Trusses?, R. J. Hoyle, Jr., 9:410.

First Volume Utilization of California Hardwoods, N. V.. Poletika, 2:61.

Three Views of the Wood Industry: Dynamic Growth Patterns, G. C. Brewer, 9:343.

Three Views of the Wood Industry: Long-Term Investor's Viewpoint, W. S. Field, 9:349.

Three Views of the Wood Industry: Risk Investor's Assessment, S. C. Chamberlain, 9:353.

INDUSTRY-EDUCATION

Economics

Indicator Ratios: Forest Products Industry, R. C. Fitzgerald, 5:191.

Introduction to Computation of Return on Investment, H. D. Turner, 6:238.

Three Views of the Wood Industry: Dynamic Growth Patterns, G. C. Brewer, 9:343.

Three Views of the Wood Industry: Long-Term Investor's Viewpoint, W. S. Field, 9:349.

Three Views of the Wood Industry: Risk Investor's Assessment, S. C. Chamberlain, 9:353.

Industry Trends

Changing Hardwood Market: Furniture Industry, V. L. Robinson, 7:277.

EMSR Lumber: Will It Make Good Roof Trusses?, R. J. Hoyle, Jr., 9:410.

Importance of Overlays to the Forest Products Industry, R. K. Stensrud and J. W. Nelson, 5:203.

Psychological Image of Wood, G. W. Blomgren, Jr., 4:149.

International Reports

Forest Industries of Mainland China, S. D. Richardson, 1:15.

Institute for Wood Research and Technology at the University of Munich, Germany, F. Kollmann and A. P. Schniewind, 5:219.

Modern Developments in Swedish Fiberboards, F. Alvang and S. Johanson, 8:335.

Reinbek Institutes for Forest Products and Forestry, Hans Kubler, 2.89.

Research Programming

American Lumber Industry: Its Essential Research and Policy Implications, C. W. Dane, 6:247.

Canada's Research and Standards Programs Marked by Vigorous and Dynamic Trends, J. H. Jenkins, 4:172.

Timber Quality Research — Another Concept, E. S. Kotok, 10:459.

U.S. Forest Service Plans Programs to Put Research Findings to Work, R. H. Page, 9:412.

Subject Reviews

Annual Review of Lignin Chemistry, I. A. Pearl, 9:379.

Annual Review of Wood Engineering, R. J. Hoyle, Jr., 10:413.

Present Status of Mechanical Fasteners, D. H. Percival, 1:42.

Review of Developments in Dimensional Stabilization of Wood Using Radiation Techniques, J. F. Siau, J. A. Meyer, and C. Skaar, 4:162.

Status of Drying Research and Practice, J. G. Haygreen, 1:1.

Utilization

Agricultural and Horticultural Use of Wood Residues in California, W. A. Dost, 10:450.

First Volume Utilization of California Hardwoods, N. V. Poletika, 2:61.

Skiing on Sawdust, R. Peter, 1:30.

Technical, Economic, and Practical Aspects of Residue Utilization, W. C. Lewis, 8:303.

FPRS Author Index

A

Adams, M. F., *see* Raff, R. A. V.

Alvang, F., and S. Johanson, Modern Developments in Swedish Fiberboards, 8:335 (No. 3362—$1.20)

Anderson, A. B., *see* Seth, K. K.

Anderson, A. B., *see* Smith, L. V.

Anderson, A. B., *see* Zavarin, E.

B

Barefoot, A. C., Jr., Influence of Cellulose. Lignin, and Density on Toughness of Yellow-Poplar, 1:46 (No. 3343—$0.80)

Barefoot, A. C., Jr., *see* Byrd, V. L.

Barefoot, A. C., Jr., *see* Wooten, T. E.

Bergin, E. G., Effect of Curing Temperature on Rate of Cure and Quality of Casein Glued Joints, 4:152 (No. 3366—$0.60)

Berlyn, G. P., and R. E. Mark, Lignin Distribution in Wood Cell Walls, 3:140 (TN-43—$0.40)

Berolzheimer, C. P., *see* Zavarin, E.

Biblis. E. J., Analysis of Wood-Fiberglass Composite Beams Within and Beyond the Elastic Region, 2:81 (No. 3297—$1.50)

Biblis, E. J., Shear Deflection of Wood Beams, 11:492 (No. 3387—$1.40)

Biggerstaff, T., Drying Diffusion Coefficients in Wood as Affected by Temperature, 3:127 (No. 3289—$1.40)

Blomgren, G. W., Jr., Psychological Image of Wood, 4:149 (No. 3351—$0.60)

Blomquist R. F., *see* Stanger, A. G.

Bodig, J., Effect of Anatomy on the Initial Stress-Strain Relationship in Transverse Compression, 5:197 (No. 3296—$1.40)

Bohannan, B., *see* Koch, P.

Boyce, S. G., and M. Kaeiser, Longitudinal Cores for Studying Wood Structure, 7:296 (TN-53—$0.20)

Brazier, J. D., Assessment of the Incidence and Significance of Spiral Grain in Young Conifer Trees, 8:308 No. 3407—$1.00)

Breeze, J. E., and J. Vitins, Effect of Salt and Fresh Water Soaking on Electrical Resistance of Powerline Poles, 12:484 (No. 3482 — $0.80)

Brenden, J. J. Effect of Fire-Retardant and Other Inorganic Salts on Pyrolvsis Products of Ponderosa Pine, 2:69 (No. 3357—$0.80)

Brewer, G. C., Three Views of the Wood Industry: Dynamic Growth Patterns, 9:343 (No. 3436—$1.20)

Bryan, E. L., and A. P. Schniewind, Strength and Rheological Properties of Particleboard as Affected by Moisture Content and Sorption, 4:143 (No. 3368—$1.20)

Eryant, B. S., T. E. Peters, and G. F. Hoerber, Veneer Thickness Variation: Its Measurement and Significance in Plywood Manufacture, 6:233 (No. 3382—$1.00)

Butler, W. E., Chip Markets: Potentials and Problems for Sawmills and Plywood Plants, 4:167 (No. 3365—$0.60)

Byrd, V. L., E. L. Ellwood, R. G. Hitchings, and A. C. Barefoot, Jr., Wood Characteristics and Kraft Paper Properties of Four Selected Loblolly Pines. Part II: Wood Chemical Constituents and Their Relationship to Fiber Morphology, 8:313 (No. 3455—$1.50)

C

Chamberlain, S. C., Three Views of the Wood Industry: Risk Investor's Assessment, 9:353 (No. 3436—$0.40)

Chen, P. Y. S., *see* Sucoff, E. I.

Choong, E. T., Diffusion Coefficients of Softwoods by the Steady-State and Theoretical Methods, 1:21 (No. 3347—$1.40)

Clark, L. E., Jr., Practical Guide to Wood Adhesives, 4:176 (TN-52—$0.20)

Comstock, G. L., Longitudinal Permeability of Green Eastern Hemlock, 10:441 (No. 3432—$1.50)

Cote, W. A., *see* Sebastian, L. P.

Cuppett, D. G., Practical Method of In-Plant Evaluation of Seasoning Degrade, 8:341 (No. 3393—$0.40)

D

Dane, C. W., American Lumber Industry: Its Essential Research and Policy Implications, 6:247 (No. 3384—$1.00)

Dane, C. W., Truck, Rail, and Water Movement of Western Softwood Plywood and Lumber, 2:91 (TN-45—$0.40)

Darwin, W. N., Jr., Skidding Coefficients on an Alluvial Soil, 7:302 (TN-55—$0.20)

Dost, W. A., Agricultural and Horticultural Use of Wood Residues in California, 10:450 (No. 3473—$0.60)

Draganov, S. M. *see* Middleton, J. C.

E

Elers, T. L., Diffusion of Ethylene In t and Through Wood, 3:134 (No. 3290—$1.20)

Ellwood, E. L., *see* Byrd, V. L.

Ethington, R. L., Structural Property Estimation from Density Samples for Western Woods, 10:422 (No. 3419—$0.80)

F

Field, W. S., Three Views of the Wood Industry: Long-Term Investor's Viewpoint, 9:349 (No. 3436—$0.80)

Fitzgerald, R. C., Indicator Ratios: Forest Products Industries, 5:191 (No. 3373—$1.20)

G

Galligan, W. L., H. Stern, and P. Hohenschuh, Manganese Distribution in Wood by Neutron Activation Analysis, 5:185 (No. 3371—$1.00)

Gardner, R. E., Auxiliary Properties of Fire-Retardant Treated Wood, 9:365 (No. 3424—$0.80)

Gatchell, C. J., *see* Heebink, B. G.

George, P., *see* Miller, D. G.

Gilfedder, J. J., *see* Keating, W. G.

Gillespie, R. H., Accelerated Aging of Adhesives in Plywood-Type Joints, 9:369 (No. 3425—$1.50)

Gray, K. R., *see* Hergert, H. L.

Green, R. W., *see* Kiefer, H. J.

Guiher, J. K., Effect of Moisture on Lumber-Core Panels, 3:117 (No. 3364—$0.80)

Guiher, J. K., Effect of Rings Per Inch on Specific Gravity of Red Oak, 9:409 (TN-59—$0.20)

H

Halberg, T. H., *see* Radcliffe, B. M.

Hamill, D. W., *see* James, W. L.

Hann, R. A., and O. C. Heyer, Forest Products Laboratory Exposure Structure, 6:252 (No. 3386—$0.60)

Hann, R. A., *see* Laughren, T. P.

Harrison, W. L., *see* Sullivan, J. D.

Hart, C. A., *see* Stayton, C. L.

Hawkins, B. T., and W. M. McKenzie, Temperature Rise and Moisture Movement in Wood Cutting, 3:101 (TN-47—$0.20)

Hawkins, B. T., *see* McKenzie, W. M.

Haygreen, J. G., Status of Drying Research and Practice, 1:1 (No. 3344—$1.40)

Heebink, B. G., and C. J. Gatchell, Proposed Plug Tension Test for Particleboard, 1:28 (No. 3349—$0.60)

Herczeg, A., Wettability of Wood, 11:499 (No. 3293—$1.40)

Hergert, H. L., L. E. Van Blaricom, J. C. Steinberg, and K. R. Gray, Isolation and Properties of Dispersants from Western Hemlock Bark, 11:485 (No. 3475—$1.40)

Herrick, I. W., *see* Raff, R. A. V.

Heyer, O. C., *see* Hann, R. A.

Hitchings, R. G., *see* Byrd, V. L.

Hoerber, G. F., *see* Bryant, B. S.

Hohenschuh, P., *see* Galligan, W. L.

Hossfeld, R. L., *see* Sucoff, E. I.

Hoyle, R. J., Jr., Annual Review in Wood Engineering, 10:413 (No. 3481—$1.50)

Hoyle, R. J., Jr., EMSR Lumber: Will It Make Good Roof Trusses?, 9:410 (TN-60—$0.20)

I

Ifju, G., R. W. Wellwood, and J. W. Wilson, Improved Microtechnique for Wood Tensile Strength and Related Properties, 1:13 (TN-39A—$0.40)

J

James, W. L., and D. W. Hamill, Dielectric Properties of Douglas-Fir Measured at Microwave Frequencies, 2:51 (No. 3353—$1.20)

Jenkins, J. H., Canada's Research and Standards Program Marked by Vigorous and Dynamic Trends, 4:172 (TN-54—$0.80)

Jenkinson, P., *see* Koch, P.

Jenuleson, W. R., Coating Problems and Flat Sheet Finishing, 7:273 (No. 3379—$0.80)

Johanson, S., *see* Alvang, F.

Jurazs, P. E., and R. W. Wellwood, Variation in Penetrability of Western Redcedar Within a Single Stem Section, 2:76 (No. 3352—$1.00)

K

Kaeiser, M., *see* Boyce, S. G.

Kass, A. J., Shrinkage Stresses in Externally Restrained Wood, 6:225 (No. 3377—$1.50)

Keating, W. G., and J. J. Gilfedder, Distribution of Moisture in Treated and Untreated Poles, 6:251 (TN-56—$0.20)

Kiefer, H. J., R. W. Green, and E. E. Saville, Thermal and Moisture Gradient Exposure Unit, 4:170 (No. 3284—$0.40)

Kirsten, P. A., Automatic Knife Change for Chippers, 10:6-A (TN-62—$0.20)

Knauss, A. C., *see* Selbo, M. L.

Koch, P., and B. Bohannan, Beam Strength as Affected by Placement of Laminae, 7:289 (No. 3401—$1.40)

Koch, P., Effects of Seven Variables on Properties of Southern Pine Plywood: Part I. Maximizing Wood Failure, 9:355 (No. 3414—$1.40)

Koch, P., Effects of Seven Variables on Properties of Southern Pine Plywood: Part II. Maximizing Wet Shear Strength, 11:463 (No. 3431—$0.60)

Koch, P., and P. Jenkinson, Effects of Seven Variables on Properties of Southern Pine Plywood: Part III. Maximizing Dry Strength, 12:488 (No. 3471 — $1.40)

Koch, P., Effects of Seven Variables on Properties of Southern Pine Plywood: Part IV. Minimizing Face Checking, 12:495 (No. 3487 — $1.00)

Kollmann, F., and A. P. Schniewind, Institute for Wood Research and Technology at the University of Munich, Germany, 5:219 (No. 3374—$0.80)

Kotok, E. S., Timber Quality Research — Another Concept, 10:459 (No. 3430—$0.80)

Kubler, Hans, Reinbek Institutes for Forest Products and Forestry, 2:89 (No. 3080—$0.40)

L

Laughren, T. P., and R. A. Hann, Possible Applications of Radiation Pyrometry in Wood Processing, 1:31 (TN-40—$0.40)

Lehmann, W. F., Improved Particleboard Through Better Resin Efficiency, 4:155 (No. 3370—$1.40)

Lehmann, W. F., Simplified Test of Internal Bond in Particleboard, 5:223 (TN-51—$0.40)

Leutritz, J., Jr., Biodegradability of Pentachlorophenol as a Possible Source of Depletion from Treated Wood, 7:269 (No. 3381—$0.80)

Levitin, N., Ether Extractives of Red Pine and Possible Means of Reducing Resin Exudation, 5:215 (No. 3376—$0.80)

Lewis, W. C., Technical, Economic, and Practical Aspects of Residue Utilization, 8:303 (No. 3434—$1.00)

Lin, R. T., Study on the Electrical Conduction in Wood, 11:506 (No. 3448—$1.50)

Loos, W. E., Neutron Activation of Engelmann Spruce, 4:178 (TN-46—$0.20)

Loos, W. E., Review of Methods for Determining Moisture Content and Density of Wood by Nuclear Radiation Techniques, 3:102 (No. 3360—$1.00)

Lyman, L. C., Effect of Air Flow on Heat Transfer and Water Evaporation in Jet-Drying Systems, 10:453 (No. 3391—$1.20)

M

Malcolm, F. B., Self-Propelled Tree Pruner, 2:57 (TN-44—$0.20)

Marden, R. M., New Approach to Tree Grading for Northern Hardwoods, 5:179 (No. 3254—$1.20)

Mark, R. E., *see* Berlyn, G. P.

McGinnes, E. A., Jr., Extent of Shake in Missouri Oaks, 5:191 (TN-49—$0.20)

McKenzie, W. M., and B. T. Hawkins, Trimming Plywood by Inclined Cutting Using a Disk, 9:405 (No. 3410—$0.40)

McKenzie, W. M., *see* Hawkins, B. T.

Mehltretter, C. L., *see* Weakley, F. B.

Meyer, J. A., *see* Siau, J. F.

Meyer, J. A., Treatment of Wood-Polymer Systems Using Catalyst-Heat Techniques, 9:362 (No. 3469 — $0.60)

Middleton, J. C., S. M. Draganov, and F. T. Winters, Jr., Evaluation of Borates and Other Inorganic Salts as Fire Retardants for Wood Products, 12:463 (No. 3460 — $1.00)

Miller, D. G., and P. George, Causes of Radio Frequency Burns in Edge-Glued Joints, 1:33 (No. 3307—$0.80)

Mote, C. D., Jr., Some Dynamic Characteristics of Band Saws, 1:37 (No. 3331—$1.00)

N

Nelson, J. W., *see* Stensrud, R. K.

P

Page, R. H., U.S. Forest Service Plans to Put Research Findings to Work, 9:412 (TN-70—$0.20)

Paszner, L., and J. W. Wilson, Influence of Fiber Chemical Constituents on Oil-Tempering of Hardboard, 5:206 (No. 3375—$1.50)

Pearl, I. A., Annual Review of Lignin Chemistry, 9:379 (No. 3411—$1.50)

Pellerin, R. F., Vibrational Approach to Nondestructive Testing of Structural Lumber, 3:93 (No. 3329—$1.50)

Percival, D. H., Present Status of Mechanical Fasteners, 1:42 (No. 3346—$0.80)

Peter, R., Skiing on Sawdust, 1:30 (TN-37—$0.20)

Peters, T. E., *see* Bryant, B. S.

Poletika, N. V., First Volume Utilization of California Hardwoods, 2:61 (No. 3316—$0.60)

R

Radcliffe, B. M., A. E. Wylie, and T. H. Halberg, Methods Analysis in Residential Construction, 3:142 (TN-42—$0.20)

Radcliffe, B. M., *see* Sliker, A.

Raff, R. A. V., I. W. Herrick, and M. F. Adams, Polymerization of Styrene and Styrene-Divinylbenzene in Wood, 7:260 (No. 3399—$0.60)

Rice, J. T., Effect of Urea-Formaldehyde Resin Viscosity on Plywood Wood Bond Durability, 3:107 (No. 3363—$1.20)

Richardson, S. D., Forest Industries of Mainland China, 1:15 (No. 3338—$1.20)

Robinson, V. L., Changing Hardwood Market: Furniture Industry, 7:277 (No. 3400—$1.00)

S

Sachs, I. E., Multilingual Glossary of Terms Used in Wood Anatomy, 1:50 (TN-71—$0.20)

St. Laurent, A., Effect of Induced Lateral Vibration of a Saw Tooth on the Cutting of Wood, 3:113 (No. 3335—$0.80)

Salamon, M., Effect of High-Temperature Drying on Quality and Strength of Western Hemlock, 3:122 (No. 3361—$1.00)

Saville, E. E., *see* Kiefer, H. J.

Schiewind, A. P., *see* Bryan, E. L.

Schniewind, A. P., *see* Kollmann, F.

Sebastian, L. P., W. A. Cote, and C. Skaar, Relationship of Gas Phase Permeability to Ultrastructure of White Spruce Wood, 9:394 (No. 3454—$1.50)

Selbo, M. L., A. C. Knauss, and H. E. Worth, After Two Decades of Service, Glulam Timbers Show Good Performance, 11:466 (No. 3422—$1.40)

Selbo, M. L. Performance of Melamine Resin Adhesives in Various Exposures, 12:475 (No. 3406 — $1.50)

Seth, K. K., A. B. Anderson, and C. R. Wilke, Solvent Drying of California Redwood with Methanol, 7:297 (No. 3392—$1.00)

Siau, J. F., J. A. Meyer, and C. Skaar, Review of Developments in Dimensional Stabilization of Wood Using Radiation Techniques, 4:162 (No. 3345—$1.20)

Siau, J. F., J. A. Meyer, and C. Skaar, Wood-Polymer Combinations Using Radiation Techniques, 4:162 (No. 3446—$1.50)

Skaar, C., *see* Sebastian, L. P.

Skaar, C., *see* Siau, J. F.

Sliker, A., and B. M. Radcliffe, Deflection and Creep Characteristics of Trussed Rafters with Metal Plate Fasteners, 11:473 (No. 3480—$1.40)

Smith, D. M., Rapid Measurement of Tracheid Cross-Sectional Dimensions of Conifers: Its Application to Specific Gravity Determinations, 8:325 (No. 3402—$1.50)

Smith, L. V., and A. B. Anderson, White Deposits on Incense Cedar Pencil Slats, 4:177 (TN-48—$0.20)

Stachiw, J. D., Wooden Hulls for Underwater Oceanographic Vehicles, 2:58 (No. 3326—$0.60)

Stanger, A. G., and R. F. Blomquist, Comparison of Block Shear, Cross-Lap Tension, and Glueline Cleavage Methods of Testing Glued Joints, 12:468 (No. 3483 — $1.40)

Stayton, C. L., and C. A. Hart, Determining Pore Size Distribution in Softwoods with a Mercury Porosimeter, 10:435 (No. 3413—$1.20)

Steinberg, J. C., *see* Hergert, H. L.

Stensrud, R. K., and J. W. Nelson, Importance of Overlays to the Forest Products Industry, 5:203 (No. 3372—$0.60)

Stern, E. G., Pallets Assembled with 10-Gauge Automatic Nails, 6:242 (No. 3319—$1.00)

Stern, H., *see* Galligan, W. L.

Sucoff, E. I., P. Y. S. Chen, and R. L. Hossfeld, Permeability of Unseasoned Xylem of Northern White Cedar, 8:321 (No. 3378—$0.80)

Sullivan, J. D., and W. L. Harrison, Rate of Viscosity Change for a Urea-Formaldehyde Resin, 11:480 (No. 3463—$1.00)

Swan, E. P., Identity of a Hydrocarbon Found in a Forest Soil, 7:272 (TN-50—$0.20)

T

Thomas, R. J., Analysis of Yield of Dimension Stock from Standard Lumber Grades, 7:285 (No. 3385—$0.80)

Thompson, W. S., Decay of Nondurable Softwoods by White-Rot Fungi, 2:64 (No. 3358—$1.00)

Thompson, W. S., Response of *Poria Monticola* and *Polyporus Versicolor* to Aliphatic Amines, 7:282 (No. 3389—$0.60)

Turner, H. D., Introduction to Computation of Return on Investment, 6:238 (No. 3260—$0.80)

V

Van Blaricom, L. E., *see* Hergert, H. L.

Vick, C. B., Forced Air Drying Sap Tupelo Furniture Billets in Solid Stacks (erroneously titled "Sweet Gum" in publication), 3:121 (TN-36—$0.20)

Vick, C. B., Drying-Rate Curves for One-Inch Yellow-Poplar Lumber in Low-Temperature Forced-Air Dryers, 12:500 (No. 3485 — $1.00)

Vitins, J., *see* Breeze, J. E.

W

Weakley, F. B., and C. L. Mehltretter, Low Cost Protein Glue for Southern Pine Plywood, 1:8 (No. 3348—$1.00)

Wellwood, R. W., *see* Ifju, G.

Wellwood, R. W., *see* Jurazs, P. E.

Wengert, E. M., Predicting Maximum Surface Temperatures of Wood in Exterior Exposures, 7:263 (No. 3380—$1.20)

Wilcox, W. W., Fundamental Characteristics of Wood Decay Indicated by a Sequential Microscopical Analysis, 7:255 (No. 3427—$1.00)

Wilke, C. R., *see* Seth, K. K.

Wilson, J. W., *see* Ifju, G.

Wilson, J. W., *see* Paszner, L.

Womeldorff, F. M., Separation of Heartwood from Sapwood Pulp Chips by Flotation Methods, 9:407 (No. 3388—$0.40)

Winters, F. T., Jr., *see* Middleton, J. C.

Wooten, T. E., and A. C. Barefoot, Jr., Mechanical Maceration Technique for Isolation of Individual Fibers, 2:75 (TN-41—$0.20)

Worth, H. E., *see* Selbo, M. L.

Wylie, A. E., *see* Radcliffe, B. M.

Z

Zavarin, E., A. B. Anderson, and C. P. Berolzheimer, Discoloration of Incense Cedar Pencil Lacquer, 2:73 No. 3356—$0.60)